

SAMPLE DETAILS

 OVERALL BATCH RESULT: ✔ **PASS**
SAMPLE NAME: Mellow Fellow - Cap Junky (H) - 0.5 Rosin Disposable

Concentrate, Inhaled Product

CLIENT
Business Name: DENVER PACKAGING COMPANY

License Number: 404R-00338

Address: 4809 Colorado Blvd.
Denver CO 80216

SAMPLE DETAIL
Metrc Manifest #: 0011500840

Metrc UID: 1A4000B00026161000007055

Source Metrc UID:

1A4000B00026161000006819

Date Collected: 01/09/2026

Date Received: 01/09/2026

Batch Size:
Sample Size: 7.0 units

Unit Mass: 0.5 gram per Unit

Serving Size:


Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS - SUMMARY
Sum of Cannabinoids: 72.8696%
Total Cannabinoids: 72.8560%
Total THC: 64.4607%
Total CBD: 0.2609%

Sum of Cannabinoids = Δ^9 -THC + THCa + CBD + CBDa + CBG + CBGa + THCV + THCVa + CBC + CBCa + CBDV + CBDVa + Δ^8 -THC + CBL + CBN + exo-THC + (6aR,9S)- Δ^{10} -THC + (6aR,9R)- Δ^{10} -THC
 Total Cannabinoids = (Δ^9 -THC+0.877*THCa+ Δ^8 -THC+exo-THC+(6aR,9S)- Δ^{10} -THC+(6aR,9R)- Δ^{10} -THC) + (CBD+0.877*CBDa) + (CBG+0.877*CBGa) + (THCV+0.877*THCVa) + (CBC+0.877*CBCa) + (CBDV+0.877*CBDVa) + CBL + CBN
 Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step:
 Total THC = Δ^9 -THC + (THCa (0.877)) + Δ^8 -THC + exo-THC + (6aR,9S)- Δ^{10} -THC + (6aR,9R)- Δ^{10} -THC
 Total CBD = CBD + (CBDa (0.877))

SAFETY ANALYSIS - SUMMARY
Pesticides: ✔ **PASS**
Residual Solvents: ✔ **PASS**
Heavy Metals: ✔ **PASS**

These results relate only to the sample included on this report.
 This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: Colorado Marijuana Rules 1 CCR 212-3

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT), $\mu\text{g/g}$ = ppm, $\mu\text{g/kg}$ = ppb


 Approved by: Sam Schumann
 Laboratory Director
 Date: 01/15/2026



CANNABINOID TEST RESULTS - 01/13/2026

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD). **Method:** (GLB-TM-40) Cannabinoid Potency Determination

TOTAL CANNABINOIDS: 72.8560%

Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) + CBL + CBN

TOTAL THC: 64.4607%

Total THC (Δ^9 -THC+0.877*THCa+ Δ^8 -THC+exo-THC+(6aR,9S)- Δ^{10} -THC+(6aR,9R)- Δ^{10} -THC)

TOTAL CBD: 0.2609%

Total CBD (CBD+0.877*CBDA)

TOTAL CBG: 5.6546%

Total CBG (CBG+0.877*CBGa)

TOTAL THCV: 0.5648%

Total THCV (THCV+0.877*THCVa)

TOTAL CBC: 1.9150%

Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: ND

Total CBDV (CBDV+0.877*CBDVa)

| COMPOUND | LOD/LOQ (mg/g) | MEASUREMENT UNCERTAINTY (mg/g) | RESULT (mg/g) | RESULT (%) |
|------------------------------|----------------|--------------------------------|---------------|------------|
| Δ^9 -THC | 1.037 / 3.301 | ±12.1186 | 644.607 | 64.4607 |
| CBG | 0.878 / 2.793 | ±1.1479 | 56.546 | 5.6546 |
| CBC | 1.050 / 3.339 | ±0.3753 | 19.150 | 1.9150 |
| THCV | 0.667 / 2.120 | ±0.1107 | 5.648 | 0.5648 |
| CBD | 0.431 / 1.373 | ±0.0308 | 1.638 | 0.1638 |
| CBDA | 0.141 / 0.449 | ±0.0223 | 1.107 | 0.1107 |
| CBGa | 0.275 / 0.878 | N/A | <LOQ | <LOQ |
| CBN | 0.678 / 2.153 | N/A | <LOQ | <LOQ |
| Δ^8 -THC | 0.986 / 3.134 | N/A | ND | ND |
| THCa | 0.672 / 2.138 | N/A | ND | ND |
| THCVa | 0.098 / 0.305 | N/A | ND | ND |
| CBDV | 0.793 / 2.528 | N/A | ND | ND |
| CBDVa | 0.187 / 0.598 | N/A | ND | ND |
| CBL | 0.803 / 2.551 | N/A | ND | ND |
| CBCa | 0.742 / 2.359 | N/A | ND | ND |
| exo-THC | 0.421 / 1.342 | N/A | ND | ND |
| (6aR,9S)- Δ^{10} -THC | 0.400 / 1.271 | N/A | ND | ND |
| (6aR,9R)- Δ^{10} -THC | 0.377 / 1.199 | N/A | ND | ND |
| SUM OF CANNABINOIDS | | | 728.696 mg/g | 72.8696% |

UNIT MASS: 0.5 gram per Unit

| | |
|------------------------------|-----------------|
| Δ^9 -THC per Unit | 322.304 mg/unit |
| Total THC per Unit | 322.304 mg/unit |
| CBD per Unit | 0.819 mg/unit |
| Total CBD per Unit | 1.305 mg/unit |
| Sum of Cannabinoids per Unit | 364.348 mg/unit |
| Total Cannabinoids per Unit | 364.280 mg/unit |

PESTICIDE TEST RESULTS - 01/15/2026 ✔ PASS

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS). *GC-MS utilized where indicated. **Method:** (GLB-TM-39) Pesticide Analysis by LC-MS & GC-MS

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|-------------------------|----------------|---------------------|--------------------------------|---------------|--------|
| Abamectin | 0.016 / 0.049 | 0.1 | N/A | ND | PASS |
| Acephate | 0.004 / 0.011 | 0.02 | N/A | ND | PASS |
| Acequinocyl | 0.001 / 0.002 | 0.03 | N/A | ND | PASS |
| Acetamiprid | 0.002 / 0.005 | 0.1 | N/A | ND | PASS |
| Aldicarb | 0.002 / 0.006 | 1.0 | N/A | ND | PASS |
| Allethrin | 0.008 / 0.024 | 0.2 | N/A | ND | PASS |
| Atrazine | 0.004 / 0.012 | 0.025 | N/A | ND | PASS |
| Azoxystrobin | 0.002 / 0.007 | 0.02 | N/A | ND | PASS |
| Benzovindiflupyr | 0.004 / 0.013 | 0.02 | N/A | ND | PASS |
| Bifentazate | 0.003 / 0.008 | 0.02 | N/A | ND | PASS |
| Bifenthrin | 0.003 / 0.008 | 1.0 | N/A | ND | PASS |
| Boscalid | 0.003 / 0.010 | 0.02 | N/A | ND | PASS |
| Buprofezin [‡] | 0.003 / 0.008 | 0.02 | N/A | ND | PASS |
| Carbaryl | 0.005 / 0.014 | 0.05 | N/A | ND | PASS |
| Carbofuran | 0.003 / 0.010 | 0.02 | N/A | ND | PASS |
| Chlorantraniliprole | 0.004 / 0.012 | 0.02 | N/A | ND | PASS |
| Chlorfenapyr* | 0.004 / 0.011 | 0.05 | N/A | ND | PASS |
| Chlorpyrifos | 0.002 / 0.005 | 0.04 | N/A | ND | PASS |
| Clofentezine | 0.002 / 0.006 | 0.02 | N/A | ND | PASS |
| Clothianidin | 0.005 / 0.014 | 0.05 | N/A | ND | PASS |
| Coumaphos | 0.002 / 0.007 | 0.02 | N/A | ND | PASS |
| Cyantraniliprole | 0.006 / 0.019 | 0.02 | N/A | ND | PASS |
| Cyfluthrin | 0.006 / 0.017 | 0.2 | N/A | ND | PASS |
| Cypermethrin | 0.007 / 0.022 | 0.3 | N/A | ND | PASS |
| Cyprodinil [‡] | 0.002 / 0.007 | 0.25 | N/A | ND | PASS |
| Daminozide | 0.002 / 0.006 | 0.1 | N/A | ND | PASS |
| Deltamethrin | 0.004 / 0.014 | 0.5 | N/A | ND | PASS |
| Diazinon | 0.002 / 0.007 | 0.02 | N/A | ND | PASS |
| Dichlorvos (DDVP) | 0.005 / 0.015 | 0.1 | N/A | ND | PASS |
| Dimethoate | 0.003 / 0.009 | 0.02 | N/A | ND | PASS |
| Dimethomorph | 0.003 / 0.008 | 0.05 | N/A | ND | PASS |
| Dinotefuran | 0.003 / 0.010 | 0.1 | N/A | ND | PASS |
| Diuron | 0.002 / 0.007 | 0.125 | N/A | ND | PASS |
| Dodemorph | 0.003 / 0.008 | 0.05 | N/A | ND | PASS |
| Endosulfan sulfate* | 0.002 / 0.006 | 0.05 | N/A | ND | PASS |
| Endosulfan- α * | 0.002 / 0.005 | 0.2 | N/A | ND | PASS |
| Endosulfan- β * | 0.001 / 0.003 | 0.05 | N/A | ND | PASS |

Continued on next page



PESTICIDE TEST RESULTS - 01/15/2026 continued

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|---------------------------------------|----------------|---------------------|--------------------------------|---------------|--------|
| Ethoprophos | 0.003 / 0.009 | 0.02 | N/A | ND | PASS |
| Etofenprox | 0.001 / 0.004 | 0.05 | N/A | ND | PASS |
| Etoxazole | 0.003 / 0.008 | 0.02 | N/A | ND | PASS |
| Etridiazole* | 0.001 / 0.003 | 0.03 | N/A | ND | PASS |
| Fenhexamid | 0.006 / 0.018 | 0.125 | N/A | ND | PASS |
| Fenoxycarb | 0.003 / 0.008 | 0.02 | N/A | ND | PASS |
| Fenpyroximate | 0.003 / 0.008 | 0.02 | N/A | ND | PASS |
| Fensulfothion | 0.002 / 0.005 | 0.02 | N/A | ND | PASS |
| Fenthion | 0.003 / 0.009 | 0.02 | N/A | ND | PASS |
| Fenvalerate** | 0.016 / 0.049 | 0.1 | N/A | ND | PASS |
| Fipronil | 0.005 / 0.015 | 0.06 | N/A | ND | PASS |
| Flonicamid | 0.004 / 0.012 | 0.05 | N/A | ND | PASS |
| Fludioxonil | 0.006 / 0.017 | 0.02 | N/A | ND | PASS |
| Fluopyram† | 0.004 / 0.012 | 0.02 | N/A | ND | PASS |
| Hexythiazox | 0.003 / 0.009 | 0.01 | N/A | ND | PASS |
| Imazalil | 0.003 / 0.009 | 0.05 | N/A | ND | PASS |
| Imidacloprid | 0.006 / 0.017 | 0.02 | N/A | ND | PASS |
| Iprodione | 0.132 / 0.401 | 1.0 | N/A | ND | PASS |
| Kinoprene* | 0.042 / 0.128 | 0.5 | N/A | ND | PASS |
| Kresoxim-methyl | 0.003 / 0.009 | 0.02 | N/A | ND | PASS |
| λ-Cyhalothrin | 0.015 / 0.046 | 0.25 | N/A | ND | PASS |
| Malathion | 0.004 / 0.013 | 0.02 | N/A | ND | PASS |
| Metalaxyl | 0.003 / 0.008 | 0.02 | N/A | ND | PASS |
| Methiocarb | 0.002 / 0.008 | 0.02 | N/A | ND | PASS |
| Methomyl | 0.003 / 0.010 | 0.05 | N/A | ND | PASS |
| Methoprene | 0.005 / 0.016 | 2.0 | N/A | ND | PASS |
| Mevinphos | 0.003 / 0.009 | 0.05 | N/A | ND | PASS |
| MGK-264 | 0.008 / 0.024 | 0.05 | N/A | ND | PASS |
| Myclobutanil | 0.004 / 0.014 | 0.02 | N/A | ND | PASS |
| Naled | 0.005 / 0.016 | 0.1 | N/A | ND | PASS |
| Novaluron | 0.010 / 0.030 | 0.05 | N/A | ND | PASS |
| Oxamyl | 0.002 / 0.005 | 3.0 | N/A | ND | PASS |
| Paclobutrazol | 0.002 / 0.006 | 0.02 | N/A | ND | PASS |
| Parathion-methyl* | 0.002 / 0.005 | 0.05 | N/A | ND | PASS |
| Pentachloronitrobenzene (Quintozene)* | 0.002 / 0.007 | 0.02 | N/A | ND | PASS |
| Permethrin | 0.006 / 0.018 | 0.5 | N/A | ND | PASS |
| Phenothrin | 0.005 / 0.016 | 0.05 | N/A | ND | PASS |
| Phosmet | 0.002 / 0.007 | 0.02 | N/A | ND | PASS |
| Pirimicarb | 0.003 / 0.008 | 0.02 | N/A | ND | PASS |
| Prallethrin | 0.003 / 0.009 | 0.05 | N/A | ND | PASS |
| Propiconazole | 0.006 / 0.018 | 0.1 | N/A | ND | PASS |

PESTICIDE TEST RESULTS - 01/15/2026 continued

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|--------------------|----------------|---------------------|--------------------------------|---------------|--------|
| Propoxur | 0.003 / 0.009 | 0.02 | N/A | ND | PASS |
| Pyraclostrobin | 0.003 / 0.010 | 0.02 | N/A | ND | PASS |
| Pyridaben | 0.002 / 0.006 | 0.05 | N/A | ND | PASS |
| Pyriproxyfen | 0.002 / 0.006 | 0.01 | N/A | ND | PASS |
| Resmethrin | 0.003 / 0.010 | 0.1 | N/A | ND | PASS |
| Spinetoram | 0.004 / 0.011 | 0.02 | N/A | ND | PASS |
| Spinosad | 0.012 / 0.038 | 0.1 | N/A | ND | PASS |
| Spirodiclofen | 0.004 / 0.013 | 0.25 | N/A | ND | PASS |
| Spiromesifen | 0.003 / 0.009 | 3.0 | N/A | ND | PASS |
| Spirotetramat | 0.005 / 0.016 | 0.02 | N/A | ND | PASS |
| Spiroxamine | 0.003 / 0.008 | 0.1 | N/A | ND | PASS |
| Tebuconazole | 0.003 / 0.010 | 0.05 | N/A | ND | PASS |
| Tebufenozide | 0.003 / 0.009 | 0.02 | N/A | ND | PASS |
| Teflubenzuron* | 0.006 / 0.017 | 0.05 | N/A | ND | PASS |
| Tetrachlorvinphos | 0.003 / 0.010 | 0.02 | N/A | ND | PASS |
| Tetramethrin | 0.002 / 0.007 | 0.1 | N/A | ND | PASS |
| Thiabendazole | 0.003 / 0.010 | 0.02 | N/A | ND | PASS |
| Thiacloprid | 0.002 / 0.006 | 0.02 | N/A | ND | PASS |
| Thiamethoxam | 0.003 / 0.008 | 0.02 | N/A | ND | PASS |
| Thiophanate-methyl | 0.005 / 0.014 | 0.05 | N/A | ND | PASS |
| Trifloxystrobin | 0.003 / 0.009 | 0.02 | N/A | ND | PASS |

RESIDUAL SOLVENTS TEST RESULTS - 01/12/2026 ✔ PASS

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS). **Method:** (GLB-TM-04) Residual Solvent Determination - Helium Carrier Gas

Total Butanes = n-Butane + 2-Methylpropane (Isobutane)
Total Xylenes = 1,2-Dimethylbenzene (o-Xylene) + 1,3-Dimethylbenzene (m-Xylene) / 1,4-Dimethylbenzene (p-Xylene)

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|---|----------------|---------------------|--------------------------------|---------------|--------|
| Propane | 3.917 / 13.058 | 1000 | N/A | ND | PASS |
| 2-Methylpropane (Isobutane) | 6.893 / 22.975 | | N/A | ND | |
| n-Butane | 3.221 / 10.737 | | N/A | ND | |
| Total Butanes | | 1000 | | ND | PASS |
| n-Pentane | 6.277 / 20.923 | 1000 | N/A | ND | PASS |
| n-Hexane | 0.23 / 0.768 | 60 | N/A | ND | PASS |
| n-Heptane | 4.317 / 14.389 | 1000 | N/A | ND | PASS |
| Benzene | 0.019 / 0.065 | 2 | N/A | ND | PASS |
| Toluene | 0.567 / 1.891 | 180 | N/A | ND | PASS |
| 1,3-Dimethylbenzene (m-Xylene) / 1,4-Dimethylbenzene (p-Xylene) | 2.019 / 6.73 | | N/A | ND | |
| 1,2-Dimethylbenzene (o-Xylene) | 2.254 / 7.514 | | N/A | ND | |
| Total Xylenes | | 430 | | ND | PASS |

Continued on next page



RESIDUAL SOLVENTS TEST RESULTS - 01/12/2026 *continued*

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|--------------------------------|----------------|---------------------|--------------------------------|---------------|--------|
| Methanol | 2.488 / 8.294 | 600 | N/A | ND | PASS |
| Ethanol | 6.973 / 23.244 | 1000 | N/A | ND | PASS |
| 2-Propanol (Isopropyl Alcohol) | 2.616 / 8.72 | 1000 | N/A | ND | PASS |
| Acetone | 4.46 / 14.867 | 1000 | N/A | ND | PASS |
| Ethyl Acetate | 4.354 / 14.514 | 1000 | N/A | ND | PASS |

HEAVY METALS TEST RESULTS - 01/14/2026  **PASS**

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS). **Method:** (GLB-TM-19) Metals Determination

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|----------|-----------------|---------------------|--------------------------------|---------------|--------|
| Arsenic | 0.0124 / 0.0413 | 0.2 | N/A | <LOQ | PASS |
| Cadmium | 0.0177 / 0.059 | 0.2 | N/A | ND | PASS |
| Lead | 0.0181 / 0.0603 | 0.5 | N/A | <LOQ | PASS |
| Mercury | 0.0167 / 0.0556 | 0.1 | N/A | ND | PASS |