

## Pro Green Medical

Licensee Permit #: PA-23-00002

Item Name: Mellow Fellow - Infused Distillate Disposable Vape - White Widow - 1g

Test Tag: 1A403030000283D000051884

Source Package: 1A403030000283D000051883

Sample Received: 02/26/2026

Lab ID: PGM051884

Manifest ID: 1951683

METRC Lab Test Batch: Vape Cartridge

### Cannabinoids


Analyte	**LOD/LOQ mg/g	Date Tested	
		Value	2/28/2026 Value
		% (w/w)	mg/g
CBD	1.97 / 6.27	< LOD	< LOD
CBDa	1.93 / 6.14	< LOD	< LOD
CBN	0.37 / 1.17	0.20	2.0
Δ9-THC	1.99 / 6.34	86.33	863.3
THCa	1.26 / 4.01	< LOQ	< LOQ
CBDV	1.22 / 3.89	< LOD	< LOD
CBG	1.26 / 3.99	< LOD	< LOD
CBGa	0.57 / 1.81	< LOD	< LOD
Δ8-THC	1.51 / 4.79	0.72	7.2
CBC	0.98 / 3.12	< LOD	< LOD
THCV	1.20 / 3.82	< LOD	< LOD
THCVa	0.84 / 2.68	< LOD	< LOD
<b>Total THC</b> <small>D8THC+D9THC+(THCa*0.877)</small>		<b>87.05</b>	
<b>Total Cannabinoids</b>		<b>87.25</b>	<b>872.5</b>

Methods: SOP-025-GA; SOP-073-GA

Instrument: HPLC-PDA

- CBD
- CBDa
- CBN
- Δ9-THC
- THCa
- CBDV
- CBG
- CBGa
- Δ8-THC
- CBC
- THCV
- THCVa

### Cannabinoids



### Terpenes

Analyte	LOD/LOQ mg/g	Date Tested	
		Value	2/28/2026 Value
		% (w/w)	mg/g
alpha-Pinene	0.07 / 0.23	0.15	1.5
Camphene	0.14 / 0.45	< LOD	< LOD
Sabinene	0.14 / 0.45	< LOD	< LOD
beta-Pinene	0.08 / 0.27	0.15	1.5
beta-Myrcene	0.17 / 0.58	0.39	3.9
3-Carene		Not Tested	Not Tested
alpha-Terpinene	0.14 / 0.45	< LOQ	< LOQ
p-Cymene		Not Tested	Not Tested
d-Limonene	0.12 / 0.42	0.49	4.9
Eucalyptol	0.34 / 1.13	< LOD	< LOD
Ocimene	0.19 / 0.65	< LOD	< LOD
gamma-Terpinene	0.14 / 0.45	< LOD	< LOD
Sabinene hydrate	0.14 / 0.45	< LOD	< LOD
Terpinolene	0.09 / 0.32	0.85	8.5
Fenchone	0.14 / 0.45	< LOD	< LOD
Linalool	0.41 / 1.40	0.24	2.4
Fenchol	0.14 / 0.45	0.08	0.8
Isopulegol		Not Tested	Not Tested
Camphor	0.68 / 2.26	< LOD	< LOD
Isoborneol	0.14 / 0.45	< LOD	< LOD
Borneol	0.14 / 0.45	< LOD	< LOD
Menthol	0.34 / 1.13	< LOD	< LOD
Terpineol	0.34 / 1.13	0.13	1.3
Nerol	0.68 / 2.26	< LOD	< LOD
Pulegone	1.36 / 4.52	< LOD	< LOD
Geraniol	1.36 / 4.52	< LOD	< LOD
Geraniol acetate	1.36 / 4.52	< LOD	< LOD
alpha-Cedrene		Not Tested	Not Tested
beta-Caryophyllene	0.07 / 0.24	0.82	8.2
alpha-Humulene	0.14 / 0.49	0.10	1.0
Valencene	0.34 / 1.13	< LOD	< LOD
cis-Nerolidol	0.68 / 2.26	< LOD	< LOD
trans-Nerolidol	0.24 / 0.83	< LOD	< LOD
Caryophyllene oxide	0.59 / 2.04	< LOD	< LOD
Guaiol	0.14 / 0.45	< LOQ	< LOQ
Cedrol	0.14 / 0.45	< LOD	< LOD
beta-Eudesmol	0.45 / 1.54	< LOD	< LOD
alpha-Bisabolol	0.34 / 1.13	< LOQ	< LOQ
<b>Total</b>		<b>3.40</b>	<b>34.0</b>

Methods: SOP-063-GA; SOP-069-GA

Instrument: GCMS

### Pesticides

PASS

### Mycotoxins

PASS

### Heavy Metals

PASS

### Microbials

PASS

### Water Activity

Not Required

### Solvents

PASS

### Moisture Content

Not Required


### Foreign Matter

PASS

### Vitamin E Acetate

PASS



  
Daniel Kulakowski  
Lab Director, Green Analytics Maryland

3/2/2026

\* Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

\*\* All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MCA Technical Authority for Medical Cannabis Testing, Revision 6.0 (EXT-732-MD)

\*\*LOD = Limit of Detection

\*dry-weight potency

\*\*LOQ = Limit of Quantification

## Pro Green Medical

Licensee Permit #: PA-23-00002

Item Name: Mellow Fellow - Infused Distillate Disposable Vape - White Widow -

Test Tag: 1A403030000283D000051884

Source Package: 1A403030000283D000051883

Sample Received: 02/26/2026

Lab ID: PGM051884

Manifest ID: 1951683

METRC Lab Test Batch:

Vape Cartridge

Heavy Metals			Date Tested	2/27/2026
Analyte	LOD/LOQ	Action Limit	Value	Status
		ppm	ppm	
Arsenic	0.046 / 0.183	0.4	< LOD	PASS
Cadmium	0.060 / 0.207	0.4	< LOD	PASS
Chromium	0.091 / 0.315	0.6	< LOD	PASS
Mercury	0.018 / 0.073	0.2	< LOD	PASS
Lead	0.054 / 0.214	1.0	< LOD	PASS

Methods: SOP-061-GA; SOP-072-GA

Instrument: ICP-MS

Residual Solvents			Date Tested	2/28/2026
Analyte	LOD/LOQ	Action Limit	Value	Status
		ppm	ppm	
Propane	40.90 / 141.20	5000	< LOD	PASS
n-Butane	29.60 / 102.20	5000	< LOD	PASS
Ethanol	12.90 / 44.50	5000	< LOD	PASS
n-Hexane	7.70 / 26.50	290	< LOD	PASS
Benzene	0.30 / 1.00	2	< LOD	PASS
n-Heptane	73.80 / 254.80	5000	< LOD	PASS
Toluene	9.30 / 32.30	890	< LOD	PASS
Total Xylenes	7.60 / 26.30	2170	< LOD	PASS

Methods: SOP-010-GA; SOP-067-GA

Instrument: GC-MS-MS

Vit E Acetate			Date Tested	2/28/2026
Analyte	LOD/LOQ	LC-MS/MS Action Limit	Value	Status
		ppm	ppm	
Vitamin E Acetate	11.5 / 38.2	100	< LOD	PASS

Methods: SOP-706-MD; SOP-070-GA

Instrument: LC-MS/MS

Mycotoxins			Date Tested	3/1/2026
Analyte	LOD/LOQ	Action Limit	Value	Status
		ppb	ppb	
Aflatoxin B1	4 / 10	20	< LOD	PASS
Aflatoxin B2	5 / 10	20	< LOD	PASS
Aflatoxin G1	5 / 10	20	< LOD	PASS
Aflatoxin G2	3 / 10	20	< LOD	PASS
Ochratoxin A	4 / 10	20	< LOD	PASS

Methods: SOP-062-GA; SOP-070-GA

Instrument: LC-MS/MS

Microbials			Date Tested	3/1/2026
Analyte	LOD/LOQ	Action Limit	Value	Status
		CFU/g	CFU/g	
Total Yeast and Mold Count	106 / 354	100000	< LOD	PASS
Total Aerobic Microbial Count	95 / 285	100000	< LOD	PASS
Total Coliforms		100	Not Required	
E.coli		1	Not Detected	PASS
STEC		Not Detected	Not Required	
Salmonella		Not Detected	Not Detected	PASS
L. monocytogenes		Not Detected	Not Required	

Methods: SOP-700-MD; SOP-709-MD; SOP-719-MD

Water Activity			Date Tested	2/28/2026
Analyte	Action Limit	Value	Status	
	Aw	Aw		
Water Activity	0.65	Not Required		

Methods: SOP-059-GA

Instrument: Water activity meter

Moisture Content			Date Tested	2/26/2026
Analyte	Action Limit	Value	Status	
	%	%		
Moisture Content	Not Required	Not Required		

Methods: SOP-055-GA

Instrument: Moisture analyzer

Foreign Matter			Date Tested	2/26/2026
Analyte	Action Limit	Value	Status	
	%	%		
Foreign Matter	1.0	< 1%	PASS	

Methods: SOP-057-MD




3/2/2026

Daniel Kulakowski  
Lab Director, Green Analytics Maryland

\* Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

\*\* All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MCA Technical Authority for Medical Cannabis Testing, Revision 6.0 (EXT-732-MD)

\*\*LOD = Limit of Detection

\*dry-weight potency

\*\*LOQ = Limit of Quantification

## Pro Green Medical

Licensee Permit #: PA-23-00002

Test Tag: 1A403030000283D000051884

Source Package: 1A403030000283D000051883

Item Name: Mellow Fellow - Infused Distillate Disposable Vape - White Widow -

Sample Received: 02/26/2026

Lab ID: PGM051884

Manifest ID: 1951683

METRC Lab Test Batch:

Vape Cartridge

### Pesticides

Analyte	LOD/LOQ	Action Limit	Date Tested	
			Value	Status
		ppm	ppm	
Daminozide	0.029 / 0.100	1.000	< LOD	PASS
Ethephon	0.070 / 0.400	1.000	< LOD	PASS
Oxamyl	0.030 / 0.100	1.000	< LOD	PASS
Flonicamid	0.046 / 0.100	1.000	< LOD	PASS
Methomyl	0.036 / 0.100	0.400	< LOD	PASS
Thiamethoxam	0.033 / 0.100	0.200	< LOD	PASS
Imidacloprid	0.016 / 0.100	0.400	< LOD	PASS
Dimethoate	0.016 / 0.100	0.200	< LOD	PASS
Acetamiprid	0.026 / 0.100	0.200	< LOD	PASS
Thiacloprid	0.031 / 0.100	0.200	< LOD	PASS
Aldicarb	0.013 / 0.100	0.400	< LOD	PASS
Dichlorvos	0.017 / 0.080	0.100	< LOD	PASS
Carbofuran	0.058 / 0.100	0.200	< LOD	PASS
Ancymidol	0.016 / 0.100	0.200	< LOD	PASS
Carbaryl	0.019 / 0.100	0.200	< LOD	PASS
Clofentazine	0.026 / 0.100	0.200	< LOD	PASS
Imazalil	0.013 / 0.100	0.200	< LOD	PASS
Naled	0.024 / 0.100	0.500	< LOD	PASS
Metalaxyl	0.035 / 0.100	0.200	< LOD	PASS
Chloanthraniliprole	0.029 / 0.100	0.200	< LOD	PASS
Phosmet	0.018 / 0.100	0.200	< LOD	PASS
Malathion	0.054 / 0.100	0.200	< LOD	PASS
Boscalid	0.045 / 0.100	0.400	< LOD	PASS
Paclbutrazol	0.044 / 0.100	0.400	< LOD	PASS
Methiocarb	0.060 / 0.100	0.200	< LOD	PASS
Myclobutanil	0.023 / 0.100	0.200	< LOD	PASS
Azoxystrobin	0.058 / 0.100	0.200	< LOD	PASS
Flurprimidol	0.018 / 0.100	0.200	< LOD	PASS
Bifenazate	0.043 / 0.100	0.200	< LOD	PASS

### Pesticides (Continued)

Analyte	LOD/LOQ	Action Limit	Date Tested	
			Value	Status
		ppm	ppm	
Spirotetramat	0.020 / 0.100	0.200	< LOD	PASS
Kresoxym-methyl	0.041 / 0.100	0.400	< LOD	PASS
Diazinon	0.022 / 0.100	0.200	< LOD	PASS
Propiconazole	0.020 / 0.100	0.400	< LOD	PASS
Spinosad A	0.019 / 0.080	0.200	< LOD	PASS
Trifloxystrobin	0.027 / 0.100	0.200	< LOD	PASS
Spinosad D	0.004 / 0.020	0.200	< LOD	PASS
Pyrethrin II	0.003 / 0.020	1.000	< LOD	PASS
Chlorpyrifos	0.032 / 0.100	0.200	< LOD	PASS
Spiromesifen	0.010 / 0.100	0.200	< LOD	PASS
Piperonyl Butoxide	0.052 / 0.100	1.000	< LOD	PASS
Etoxazole	0.049 / 0.100	1.000	< LOD	PASS
Hexythiazox	0.120 / 0.100	1.000	< LOD	PASS
Pyrethrin I	0.011 / 0.030	1.000	< LOD	PASS
Fenpyroximate	0.066 / 0.100	0.200	< LOD	PASS
Cyfluthrin	0.068 / 0.400	1.000	< LOD	PASS
Permethrin	0.030 / 0.100	0.500	< LOD	PASS
Abamectin B1a	0.070 / 0.100	0.500	< LOD	PASS
Bifenthrin	0.023 / 0.100	0.200	< LOD	PASS
Fludioxonil	0.024 / 0.100	0.400	< LOD	PASS
Fipronil	0.046 / 0.100	0.400	< LOD	PASS

Methods: SOP-062-GA; SOP-070-GA

Instrument: LC-MS/MS




3/2/2026

Daniel Kulakowski  
Lab Director, Green Analytics Maryland

\* Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

\*\* All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MCA Technical Authority for Medical Cannabis Testing, Revision 6.0 (EXT-732-MD)

\*\*LOD = Limit of Detection

\*dry-weight potency

\*\*LOQ = Limit of Quantification