

Pro Green Medical

Licensee Permit #: PA-23-00002

Item Name: Mellow Fellow - Disposable Vape - Grape Ice OG - 1g

Test Tag: 1A403030000283D000049059

Source Package: 1A403030000283D000049058

Sample Received: 04/30/2026

Lab ID: PGM049059

Manifest ID: 1975554

METRC Lab Test Batch: Vape Cartridge


Cannabinoids		Date Tested	5/2/2026
Analyte	**LOD/LOQ	Value	Value
	mg/g	% (w/w)	mg/g
CBD	1.91 / 6.09	< LOQ	< LOQ
CBDa	1.88 / 5.97	< LOD	< LOD
CBN	0.36 / 1.14	0.63	6.3
Δ9-THC	1.94 / 6.16	80.40	804.0
THCa	1.22 / 3.90	< LOD	< LOD
CBDV	1.19 / 3.78	< LOD	< LOD
CBG	1.22 / 3.88	2.27	22.7
CBGa	0.55 / 1.76	< LOD	< LOD
Δ8-THC	1.46 / 4.65	< LOD	< LOD
CBC	0.95 / 3.03	1.06	10.6
THCV	1.16 / 3.70	< LOD	< LOD
THCVa	0.82 / 2.61	< LOD	< LOD
Total THC <small>D8THC+D9THC+(THCa*0.877)</small>		80.40	
Total Cannabinoids		84.36	843.6

Methods: SOP-025-GA; SOP-073-GA

Instrument: HPLC-PDA

- CBD
- CBDa
- CBN
- Δ9-THC
- THCa
- CBDV
- CBG
- CBGa
- Δ8-THC
- CBC
- THCV
- THCVa

Cannabinoids



Terpenes		Date Tested	5/2/2026
Analyte	LOD/LOQ	Value	Value
	mg/g	% (w/w)	mg/g
alpha-Pinene	0.07 / 0.23	0.43	4.3
Camphene	0.13 / 0.44	< LOQ	< LOQ
Sabinene	0.13 / 0.44	< LOD	< LOD
beta-Pinene	0.08 / 0.26	0.25	2.5
beta-Myrcene	0.16 / 0.56	0.91	9.1
3-Carene		Not Tested	Not Tested
alpha-Terpinene	0.13 / 0.44	< LOD	< LOD
p-Cymene		Not Tested	Not Tested
d-Limonene	0.12 / 0.41	0.80	8.0
Eucalyptol	0.33 / 1.11	< LOD	< LOD
Ocimene	0.18 / 0.64	< LOD	< LOD
gamma-Terpinene	0.13 / 0.44	< LOD	< LOD
Sabinene hydrate	0.13 / 0.44	< LOD	< LOD
Terpinolene	0.09 / 0.31	0.06	0.6
Fenchone	0.13 / 0.44	< LOD	< LOD
Linalool	0.40 / 1.38	0.26	2.6
Fenchol	0.13 / 0.44	0.08	0.8
Isopulegol		Not Tested	Not Tested
Camphor	0.67 / 2.22	< LOD	< LOD
Isoborneol	0.13 / 0.44	< LOD	< LOD
Borneol	0.13 / 0.44	< LOD	< LOD
Menthol	0.33 / 1.11	0.53	5.3
Terpineol	0.33 / 1.11	< LOQ	< LOQ
Nerol	0.67 / 2.22	< LOD	< LOD
Pulegone	1.33 / 4.44	< LOD	< LOD
Geraniol	1.33 / 4.44	< LOD	< LOD
Geraniol acetate	1.33 / 4.44	< LOD	< LOD
alpha-Cedrene		Not Tested	Not Tested
beta-Caryophyllene	0.07 / 0.24	0.69	6.9
alpha-Humulene	0.14 / 0.48	0.06	0.6
Valencene	0.33 / 1.11	0.11	1.1
cis-Nerolidol	0.67 / 2.22	< LOD	< LOD
trans-Nerolidol	0.24 / 0.81	0.10	1.0
Caryophyllene oxide	0.58 / 2.01	< LOQ	< LOQ
Guaiol	0.13 / 0.44	< LOD	< LOD
Cedrol	0.13 / 0.44	< LOD	< LOD
beta-Eudesmol	0.44 / 1.51	< LOD	< LOD
alpha-Bisabolol	0.33 / 1.11	0.14	1.4
Total		4.42	44.2

Methods: SOP-063-GA; SOP-069-GA

Instrument: GCMS

Pesticides

PASS

Mycotoxins

PASS

Heavy Metals

PASS

Microbials

PASS

Water Activity

Not Required

Solvents

PASS

Moisture Content


Not Required

Foreign Matter

PASS

Vitamin E Acetate

PASS



 Daniel Kufakowski
 Lab Director, Green Analytics Maryland

5/4/2026

† Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

†† All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MCA Technical Authority for Medical Cannabis Testing, Revision 6.0 (EXT-732-MD)

**LOD = Limit of Detection

**LOQ = Limit of Quantification

*dry-weight potency

Pro Green Medical

Licensee Permit #: PA-23-00002

Item Name: Mellow Fellow - Disposable Vape - Grape Ice OG - 1g

Test Tag: 1A403030000283D000049059

Source Package: 1A403030000283D000049058

Sample Received: 04/30/2026

Lab ID: PGM049059

Manifest ID: 1975554

METRC Lab Test Batch:

Vape Cartridge

Heavy Metals			Date Tested	5/2/2026
Analyte	LOD/LOQ	Action Limit	Value	Status
		ppm	ppm	
Arsenic	0.031 / 0.123	0.4	< LOD	PASS
Cadmium	0.040 / 0.139	0.4	< LOD	PASS
Chromium	0.061 / 0.211	0.6	< LOD	PASS
Mercury	0.012 / 0.049	0.2	< LOD	PASS
Lead	0.036 / 0.143	1.0	< LOD	PASS

Methods: SOP-061-GA; SOP-072-GA

Instrument: ICP-MS

Residual Solvents			Date Tested	5/2/2026
Analyte	LOD/LOQ	Action Limit	Value	Status
		ppm	ppm	
Propane	140.70 / 485.80	5000	< LOD	PASS
n-Butane	101.80 / 351.50	5000	< LOD	PASS
Ethanol	328.20 / 1082.90	5000	< LOD	PASS
n-Hexane	26.40 / 91.30	290	< LOD	PASS
Benzene	1.00 / 3.40	2	< LOD	PASS
n-Heptane	254.00 / 876.90	5000	< LOD	PASS
Toluene	32.20 / 111.10	890	< LOD	PASS
Total Xylenes	26.20 / 90.60	2170	< LOD	PASS

Methods: SOP-010-GA; SOP-067-GA

Instrument: GC-MS-MS

Vit E Acetate			Date Tested	5/2/2026
Analyte	LOD/LOQ	LC-MS/MS Action Limit	Value	Status
		ppm	ppm	
Vitamin E Acetate	11.5 / 38.2	100	< LOD	PASS

Methods: SOP-706-MD; SOP-070-GA

Instrument: LC-MS/MS

Mycotoxins			Date Tested	5/3/2026
Analyte	LOD/LOQ	Action Limit	Value	Status
		ppb	ppb	
Aflatoxin B1	4 / 10	20	< LOD	PASS
Aflatoxin B2	5 / 10	20	< LOD	PASS
Aflatoxin G1	5 / 10	20	< LOD	PASS
Aflatoxin G2	3 / 10	20	< LOD	PASS
Ochratoxin A	4 / 10	20	< LOD	PASS

Methods: SOP-062-GA; SOP-070-GA

Instrument: LC-MS/MS

Microbials			Date Tested	5/3/2026
Analyte	LOD/LOQ	Action Limit	Value	Status
		CFU/g	CFU/g	
Total Yeast and Mold Count	106 / 354	100000	< LOD	PASS
Total Aerobic Microbial Count	95 / 285	100000	< LOD	PASS
Total Coliforms		100	Not Required	
E.coli		1	Not Detected	PASS
STEC		Not Detected	Not Required	
Salmonella		Not Detected	Not Detected	PASS
L. monocytogenes		Not Detected	Not Required	

Methods: SOP-700-MD; SOP-709-MD; SOP-719-MD

Water Activity			Date Tested	5/3/2026
Analyte	LOD/LOQ	Action Limit	Value	Status
		Aw	Aw	
Water Activity		0.65	Not Required	

Methods: SOP-059-GA

Instrument: Water activity meter

Moisture Content			Date Tested	5/3/2026
Analyte	LOD/LOQ	Action Limit	Value	Status
		%	%	
Moisture Content		Not Required	Not Required	

Methods: SOP-055-GA

Instrument: Moisture analyzer

Foreign Matter			Date Tested	4/30/2026
Analyte	LOD/LOQ	Action Limit	Value	Status
		%	%	
Foreign Matter		1.0	< 1%	PASS

Methods: SOP-057-MD




5/4/2026

 Danief Kufakowski
 Lab Director, Green Analytics Maryland

† Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

†† All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MCA Technical Authority for Medical Cannabis Testing, Revision 6.0 (EXT-732-MD)

**LOD = Limit of Detection

*dry-weight potency

**LOQ = Limit of Quantification

Pro Green Medical

Licensee Permit #: PA-23-00002

Item Name: Mellow Fellow - Disposable Vape - Grape Ice OG - 1g

Test Tag: 1A403030000283D000049059

Source Package: 1A403030000283D000049058

Sample Received: 04/30/2026

Lab ID: PGM049059

Manifest ID: 1975554

METRC Lab Test Batch:

Vape Cartridge

Pesticides

Analyte	LOD/LOQ	Action Limit	Date Tested	
			Value	Status
		ppm	ppm	
Daminozide	0.029 / 0.100	1.000	< LOD	PASS
Ethephon	0.070 / 0.400	1.000	< LOD	PASS
Oxamyl	0.030 / 0.100	1.000	< LOD	PASS
Flonicamid	0.046 / 0.100	1.000	< LOD	PASS
Methomyl	0.036 / 0.100	0.400	< LOD	PASS
Thiamethoxam	0.033 / 0.100	0.200	< LOD	PASS
Imidacloprid	0.016 / 0.100	0.400	< LOD	PASS
Dimethoate	0.016 / 0.100	0.200	< LOD	PASS
Acetamiprid	0.026 / 0.100	0.200	< LOD	PASS
Thiacloprid	0.031 / 0.100	0.200	< LOD	PASS
Aldicarb	0.013 / 0.100	0.400	< LOD	PASS
Dichlorvos	0.017 / 0.080	0.100	< LOD	PASS
Carbofuran	0.058 / 0.100	0.200	< LOD	PASS
Ancymidol	0.016 / 0.100	0.200	< LOD	PASS
Carbaryl	0.019 / 0.100	0.200	< LOD	PASS
Clofentazine	0.026 / 0.100	0.200	< LOD	PASS
Imazalil	0.013 / 0.100	0.200	< LOD	PASS
Naled	0.024 / 0.100	0.500	< LOD	PASS
Metalaxyl	0.035 / 0.100	0.200	< LOD	PASS
Chloanthraniliprole	0.029 / 0.100	0.200	< LOD	PASS
Phosmet	0.018 / 0.100	0.200	< LOD	PASS
Malathion	0.054 / 0.100	0.200	< LOD	PASS
Boscalid	0.045 / 0.100	0.400	< LOD	PASS
Paclbutrazol	0.044 / 0.100	0.400	< LOD	PASS
Methiocarb	0.060 / 0.100	0.200	< LOD	PASS
Myclobutanil	0.023 / 0.100	0.200	< LOD	PASS
Azoxystrobin	0.058 / 0.100	0.200	< LOD	PASS
Flurprimidol	0.018 / 0.100	0.200	< LOD	PASS
Bifenazate	0.043 / 0.100	0.200	< LOD	PASS

Pesticides (Continued)

Analyte	LOD/LOQ	Action Limit	Date Tested	
			Value	Status
		ppm	ppm	
Spirotetramat	0.020 / 0.100	0.200	< LOD	PASS
Kresoxym-methyl	0.041 / 0.100	0.400	< LOD	PASS
Diazinon	0.022 / 0.100	0.200	< LOD	PASS
Propiconazole	0.020 / 0.100	0.400	< LOD	PASS
Spinosad A	0.019 / 0.080	0.200	< LOD	PASS
Trifloxystrobin	0.027 / 0.100	0.200	< LOD	PASS
Spinosad D	0.004 / 0.020	0.200	< LOD	PASS
Pyrethrin II	0.003 / 0.020	1.000	< LOD	PASS
Chlorpyrifos	0.032 / 0.100	0.200	< LOD	PASS
Spiromesifen	0.010 / 0.100	0.200	< LOD	PASS
Piperonyl Butoxide	0.052 / 0.100	1.000	< LOD	PASS
Etoxazole	0.049 / 0.100	1.000	< LOD	PASS
Hexythiazox	0.120 / 0.100	1.000	< LOD	PASS
Pyrethrin I	0.011 / 0.030	1.000	< LOD	PASS
Fenpyroximate	0.066 / 0.100	0.200	< LOD	PASS
Cyfluthrin	0.068 / 0.400	1.000	< LOD	PASS
Permethrin	0.030 / 0.100	0.500	< LOD	PASS
Abamectin B1a	0.070 / 0.100	0.500	< LOD	PASS
Bifenthrin	0.023 / 0.100	0.200	< LOD	PASS
Fludioxonil	0.024 / 0.100	0.400	< LOD	PASS
Fipronil	0.046 / 0.100	0.400	< LOD	PASS

Methods: SOP-062-GA; SOP-070-GA

Instrument: LC-MS/MS




5/4/2026

Daniel Kulakowski
Lab Director, Green Analytics Maryland

* Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

** All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MCA Technical Authority for Medical Cannabis Testing, Revision 6.0 (EXT-732-MD)

**LOD = Limit of Detection

*dry-weight potency

**LOQ = Limit of Quantification