

Pro Green Medical

Licensee Permit #: PA-23-00002

Item Name: Mellow Fellow - Disposable Vape - Strawnana - 1g

Test Tag: 1A40303000283D000047072

Source Package: 1A40303000283D000047071

Sample Received: 04/01/2026

Lab ID: PGM047072

Manifest ID: 1963652

METRC Lab Test Batch: Vape Cartridge

Cannabinoids Analyte	**LOD/LOQ mg/g	Date Tested 4/3/2026	
		Value % (w/w)	Value mg/g
CBD	2.06 / 6.57	< LOD	< LOD
CBDa	2.02 / 6.43	< LOD	< LOD
CBN	0.39 / 1.23	0.53	5.3
Δ9-THC	2.09 / 6.64	79.82	798.2
THCa	1.32 / 4.20	< LOD	< LOD
CBDV	1.28 / 4.07	< LOD	< LOD
CBG	1.31 / 4.18	1.87	18.7
CBGa	0.60 / 1.90	< LOD	< LOD
Δ8-THC	1.58 / 5.01	< LOD	< LOD
CBC	1.03 / 3.26	1.46	14.6
THCV	1.26 / 3.99	0.80	8.0
THCVa	0.88 / 2.81	< LOD	< LOD


Total THC $D8THC + D9THC + (THCa * 0.877)$ 79.82
Total Cannabinoids 84.48 844.8

Methods: SOP-025-GA; SOP-073-GA

Instrument: HPLC-PDA

- CBD
- CBDa
- CBN
- Δ9-THC
- THCa
- CBDV
- CBG
- CBGa
- Δ8-THC
- CBC
- THCV
- THCVa

Cannabinoids



Terpenes Analyte	LOD/LOQ mg/g	Date Tested 4/4/2026	
		Value % (w/w)	Value mg/g
alpha-Pinene	0.07 / 0.24	0.08	0.8
Camphene	0.14 / 0.47	< LOQ	< LOQ
Sabinene	0.14 / 0.47	< LOD	< LOD
beta-Pinene	0.08 / 0.28	0.12	1.2
beta-Myrcene	0.17 / 0.59	0.42	4.2
3-Carene		Not Tested	Not Tested
alpha-Terpinene	0.14 / 0.47	< LOD	< LOD
p-Cymene		Not Tested	Not Tested
d-Limonene	0.13 / 0.43	0.77	7.7
Eucalyptol	0.35 / 1.17	< LOD	< LOD
Ocimene	0.19 / 0.67	< LOD	< LOD
gamma-Terpinene	0.14 / 0.47	< LOD	< LOD
Sabinene hydrate	0.14 / 0.47	< LOD	< LOD
Terpinolene	0.10 / 0.33	< LOQ	< LOQ
Fenchone	0.14 / 0.47	< LOD	< LOD
Linalool	0.42 / 1.45	0.25	2.5
Fenchol	0.14 / 0.47	0.08	0.8
Isopulegol		Not Tested	Not Tested
Camphor	0.70 / 2.33	< LOD	< LOD
Isoborneol	0.14 / 0.47	< LOD	< LOD
Borneol	0.14 / 0.47	< LOD	< LOD
Menthol	0.35 / 1.17	< LOQ	< LOQ
Terpineol	0.35 / 1.17	0.14	1.4
Nerol	0.70 / 2.33	< LOD	< LOD
Pulegone	1.40 / 4.67	< LOD	< LOD
Geraniol	1.40 / 4.67	< LOD	< LOD
Geraniol acetate	1.40 / 4.67	< LOD	< LOD
alpha-Cedrene		Not Tested	Not Tested
beta-Caryophyllene	0.07 / 0.25	0.78	7.8
alpha-Humulene	0.15 / 0.51	0.09	0.9
Valencene	0.35 / 1.17	< LOQ	< LOQ
cis-Nerolidol	0.70 / 2.33	< LOD	< LOD
trans-Nerolidol	0.25 / 0.86	< LOD	< LOD
Caryophyllene oxide	0.61 / 2.11	< LOQ	< LOQ
Guaial	0.14 / 0.47	0.07	0.7
Cedrol	0.14 / 0.47	< LOD	< LOD
beta-Eudesmol	0.46 / 1.59	0.19	1.9
alpha-Bisabolol	0.35 / 1.17	0.39	3.9

Total 3.38 33.8

Methods: SOP-063-GA; SOP-069-GA

Instrument: GCMS

Pesticides

PASS

Mycotoxins

PASS

Heavy Metals

PASS

Microbials

PASS

Water Activity

Not Required

Solvents

PASS

Moisture Content

Not Required

Foreign Matter

PASS

Vitamin E Acetate

PASS




4/5/2026

Daniel Kulakowski
Lab Director, Green Analytics Maryland

* Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

** All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MCA Technical Authority for Medical Cannabis Testing, Revision 6.0 (EXT-732-MD)

**LOD = Limit of Detection

*dry-weight potency

**LOQ = Limit of Quantification

Pro Green Medical

Licensee Permit #: PA-23-00002

Item Name: Mellow Fellow - Disposable Vape - Strawnana - 1g

Test Tag: 1A403030000283D000047072

Source Package: 1A403030000283D000047071

Sample Received: 04/01/2026

Lab ID: PGM047072

Manifest ID: 1963652

METRC Lab Test Batch:

Vape Cartridge

Heavy Metals Analyte	LOD/LOQ	Action Limit	Date Tested	Value	Status
		ppm	4/2/2026	ppm	
Arsenic	0.037 / 0.145	0.4		< LOD	PASS
Cadmium	0.048 / 0.164	0.4		< LOD	PASS
Chromium	0.072 / 0.249	0.6		< LOD	PASS
Mercury	0.015 / 0.058	0.2		< LOD	PASS
Lead	0.043 / 0.169	1.0		< LOD	PASS

Methods: SOP-061-GA; SOP-072-GA

Instrument: ICP-MS

Residual Solvents Analyte	LOD/LOQ	Action Limit	Date Tested	Value	Status
		ppm	4/4/2026	ppm	
Propane	40.80 / 141.00	5000		< LOD	PASS
n-Butane	29.60 / 102.00	5000		< LOD	PASS
Ethanol	12.90 / 44.40	5000		< LOQ	PASS
n-Hexane	7.70 / 26.50	290		< LOD	PASS
Benzene	0.30 / 1.00	2		< LOD	PASS
n-Heptane	73.70 / 254.60	5000		< LOD	PASS
Toluene	9.30 / 32.20	890		< LOD	PASS
Total Xylenes	7.60 / 26.30	2170		< LOD	PASS

Methods: SOP-010-GA; SOP-067-GA

Instrument: GC-MS

Vit E Acetate Analyte	LOD/LOQ	LC-MS/MS Action Limit	Date Tested	Value	Status
		ppm	4/2/2026	ppm	
Vitamin E Acetate	11.5 / 38.2	100		< LOD	PASS

Methods: SOP-706-MD; SOP-070-GA

Instrument: LC-MS/MS

Mycotoxins Analyte	LOD/LOQ	Action Limit	Date Tested	Value	Status
		ppb	4/3/2026	ppb	
Aflatoxin B1	4 / 10	20		< LOD	PASS
Aflatoxin B2	5 / 10	20		< LOD	PASS
Aflatoxin G1	5 / 10	20		< LOD	PASS
Aflatoxin G2	3 / 10	20		< LOD	PASS
Ochratoxin A	4 / 10	20		< LOD	PASS

Methods: SOP-062-GA; SOP-070-GA

Instrument: LC-MS/MS

Microbials Analyte	LOD/LOQ	Action Limit	Date Tested	Value	Status
		CFU/g	4/4/2026	CFU/g	
Total Yeast and Mold Count	106 / 354	100000		< LOD	PASS
Total Aerobic Microbial Count	95 / 285	100000		< LOD	PASS
Total Coliforms		100		Not Required	
E.coli		1		Not Detected	PASS
STEC		Not Detected		Not Detected	
Salmonella		Not Detected		Not Detected	PASS
L. monocytogenes		Not Detected		Not Detected	

Methods: SOP-700-MD; SOP-709-MD; SOP-719-MD

Water Activity Analyte	Action Limit	Value	Status
	Aw	Aw	
Water Activity	0.65	Not Required	

Methods: SOP-059-GA

Instrument: Water activity meter

Moisture Content Analyte	Value	Status
	%	
Moisture Content	Not Required	

Methods: SOP-055-GA

Instrument: Moisture analyzer

Foreign Matter Analyte	Action Limit	Date Tested	Value	Status
	%	4/1/2026		
Foreign Matter	1.0		< 1%	PASS

Methods: SOP-057-MD




4/5/2026

Daniel Kulakowski
Lab Director, Green Analytics Maryland

* Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

** All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MCA Technical Authority for Medical Cannabis Testing, Revision 6.0 (EXT-732-MD)

**LOD = Limit of Detection

*dry-weight potency

**LOQ = Limit of Quantification

Pro Green Medical

Licensee Permit #: PA-23-00002

Item Name: Mellow Fellow - Disposable Vape - Strawnana - 1g

Test Tag: 1A403030000283D000047072

Source Package: 1A403030000283D000047071

Sample Received: 04/01/2026

Lab ID: PGM047072

Manifest ID: 1963652

METRC Lab Test Batch:

Vape Cartridge

Pesticides

Analyte	LOD/LOQ	Action Limit	Date Tested		Status
			4/3/2026	Value	
Daminozide	0.029 / 0.100	1.000	< LOD	ppm	PASS
Ethephon	0.070 / 0.400	1.000	< LOD	ppm	PASS
Oxamyl	0.030 / 0.100	1.000	< LOD	ppm	PASS
Fonicamid	0.046 / 0.100	1.000	< LOD	ppm	PASS
Methomyl	0.036 / 0.100	0.400	< LOD	ppm	PASS
Thiamethoxam	0.033 / 0.100	0.200	< LOD	ppm	PASS
Imidacloprid	0.016 / 0.100	0.400	< LOD	ppm	PASS
Dimethoate	0.016 / 0.100	0.200	< LOD	ppm	PASS
Acetamiprid	0.026 / 0.100	0.200	< LOD	ppm	PASS
Thiacloprid	0.031 / 0.100	0.200	< LOD	ppm	PASS
Aldicarb	0.013 / 0.100	0.400	< LOD	ppm	PASS
Dichlorvos	0.017 / 0.080	0.100	< LOD	ppm	PASS
Carbofuran	0.058 / 0.100	0.200	< LOD	ppm	PASS
Ancymidol	0.016 / 0.100	0.200	< LOD	ppm	PASS
Carbaryl	0.019 / 0.100	0.200	< LOD	ppm	PASS
Clofentazine	0.026 / 0.100	0.200	< LOD	ppm	PASS
Imazalil	0.013 / 0.100	0.200	< LOD	ppm	PASS
Naled	0.024 / 0.100	0.500	< LOD	ppm	PASS
Metalaxyl	0.035 / 0.100	0.200	< LOD	ppm	PASS
Chloantraniliprole	0.029 / 0.100	0.200	< LOD	ppm	PASS
Phosmet	0.018 / 0.100	0.200	< LOD	ppm	PASS
Malathion	0.054 / 0.100	0.200	< LOD	ppm	PASS
Boscalid	0.045 / 0.100	0.400	< LOD	ppm	PASS
Paclobutrazol	0.044 / 0.100	0.400	< LOD	ppm	PASS
Methiocarb	0.060 / 0.100	0.200	< LOD	ppm	PASS
Myclobutanil	0.023 / 0.100	0.200	< LOD	ppm	PASS
Azoxystrobin	0.058 / 0.100	0.200	< LOD	ppm	PASS
Flurprimidol	0.018 / 0.100	0.200	< LOD	ppm	PASS
Bifenazate	0.043 / 0.100	0.200	< LOD	ppm	PASS

Pesticides (Continued)

Analyte	LOD/LOQ	Action Limit	Date Tested		Status
			4/3/2026	Value	
Spirotetramat	0.020 / 0.100	0.200	< LOD	ppm	PASS
Kresoxym-methyl	0.041 / 0.100	0.400	< LOD	ppm	PASS
Diazinon	0.022 / 0.100	0.200	< LOD	ppm	PASS
Propiconazole	0.020 / 0.100	0.400	< LOD	ppm	PASS
Spinosad A	0.019 / 0.080	0.200	< LOD	ppm	PASS
Trifloxystrobin	0.027 / 0.100	0.200	< LOD	ppm	PASS
Spinosad D	0.004 / 0.020	0.200	< LOD	ppm	PASS
Pyrethrin II	0.003 / 0.020	1.000	< LOD	ppm	PASS
Chlorpyrifos	0.032 / 0.100	0.200	< LOD	ppm	PASS
Spiromesifen	0.010 / 0.100	0.200	< LOD	ppm	PASS
Piperonyl Butoxide	0.052 / 0.100	1.000	< LOD	ppm	PASS
Etozazole	0.049 / 0.100	1.000	< LOD	ppm	PASS
Hexythiazox	0.120 / 0.100	1.000	< LOD	ppm	PASS
Pyrethrin I	0.011 / 0.030	1.000	< LOD	ppm	PASS
Fenpyroximate	0.066 / 0.100	0.200	< LOD	ppm	PASS
Cyfluthrin	0.068 / 0.400	1.000	< LOD	ppm	PASS
Permethrin	0.030 / 0.100	0.500	< LOD	ppm	PASS
Abamectin B1a	0.070 / 0.100	0.500	< LOD	ppm	PASS
Bifenthrin	0.023 / 0.100	0.200	< LOD	ppm	PASS
Fipronil	0.024 / 0.100	0.400	< LOD	ppm	PASS
Fipronil	0.046 / 0.100	0.400	< LOD	ppm	PASS

Methods: SOP-062-GA; SOP-070-GA

Instrument: LC-MS/MS




4/5/2026

Daniel Kulakowski
Lab Director, Green Analytics Maryland

* Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

** All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MCA Technical Authority for Medical Cannabis Testing, Revision 6.0 (EXT-732-MD)

**LOD = Limit of Detection

*dry-weight potency

**LOQ = Limit of Quantification