

Pro Green Medical

Licensee Permit #: PA-23-00002

Item Name: Mellow Fellow - Disposable Vape - White Widow - 1g

Test Tag: 1A403030000283D000047060

Source Package: 1A403030000283D000047059

Sample Received: 04/01/2026

Lab ID: PGM047060

Manifest ID: 1963652

METRC Lab Test Batch: Vape Cartridge

Cannabinoids Analyte	**LOD/LOQ mg/g	Date Tested 4/2/2026	
		Value % (w/w)	Value mg/g
CBD	2.55 / 8.11	< LOD	< LOD
CBDa	2.50 / 7.94	< LOD	< LOD
CBN	0.48 / 1.51	0.53	5.3
Δ9-THC	2.58 / 8.20	81.72	817.2
THCa	1.63 / 5.19	< LOD	< LOD
CBDV	1.58 / 5.03	< LOD	< LOD
CBG	1.62 / 5.16	2.57	25.7
CBGa	0.74 / 2.34	< LOD	< LOD
Δ8-THC	1.95 / 6.19	< LOD	< LOD
CBC	1.27 / 4.03	0.78	7.8
THCV	1.55 / 4.93	< LOQ	< LOQ
THCVa	1.09 / 3.47	< LOD	< LOD

Total THC $D8THC + D9THC + (THCa * 0.877)$ **81.72**


Total Cannabinoids **85.60** **856.0**

Methods: SOP-025-GA; SOP-073-GA

Instrument: HPLC-PDA

- CBD
- CBDa
- CBN
- Δ9-THC
- THCa
- CBDV
- CBG
- CBGa
- Δ8-THC
- CBC
- THCV
- THCVa

Cannabinoids



Terpenes Analyte	LOD/LOQ mg/g	Date Tested 4/4/2026	
		Value % (w/w)	Value mg/g
alpha-Pinene	0.09 / 0.29	0.18	1.8
Camphene	0.17 / 0.57	< LOQ	< LOQ
Sabinene	0.17 / 0.57	< LOQ	< LOQ
beta-Pinene	0.10 / 0.34	0.22	2.2
beta-Myrcene	0.21 / 0.73	0.39	3.9
3-Carene		Not Tested	Not Tested
alpha-Terpinene	0.17 / 0.57	< LOQ	< LOQ
p-Cymene		Not Tested	Not Tested
d-Limonene	0.15 / 0.53	0.59	5.9
Eucalyptol	0.43 / 1.43	< LOD	< LOD
Ocimene	0.24 / 0.82	< LOD	< LOD
gamma-Terpinene	0.17 / 0.57	< LOQ	< LOQ
Sabinene hydrate	0.17 / 0.57	< LOD	< LOD
Terpinolene	0.12 / 0.40	0.97	9.7
Fenchone	0.17 / 0.57	< LOD	< LOD
Linalool	0.51 / 1.78	0.36	3.6
Fenchol	0.17 / 0.57	0.12	1.2
Isopulegol		Not Tested	Not Tested
Camphor	0.86 / 2.87	< LOD	< LOD
Isoborneol	0.17 / 0.57	< LOD	< LOD
Borneol	0.17 / 0.57	< LOQ	< LOQ
Menthol	0.43 / 1.43	< LOD	< LOD
Terpineol	0.43 / 1.43	0.21	2.1
Nerol	0.86 / 2.87	< LOD	< LOD
Pulegone	1.72 / 5.73	< LOD	< LOD
Geraniol	1.72 / 5.73	< LOD	< LOD
Geraniol acetate	1.72 / 5.73	< LOD	< LOD
alpha-Cedrene		Not Tested	Not Tested
beta-Caryophyllene	0.09 / 0.31	1.19	11.9
alpha-Humulene	0.18 / 0.62	0.16	1.6
Valencene	0.43 / 1.43	< LOD	< LOD
cis-Nerolidol	0.86 / 2.87	< LOD	< LOD
trans-Nerolidol	0.30 / 1.05	< LOD	< LOD
Caryophyllene oxide	0.75 / 2.59	< LOQ	< LOQ
Guaial	0.17 / 0.57	< LOD	< LOD
Cedrol	0.17 / 0.57	< LOD	< LOD
beta-Eudesmol	0.57 / 1.95	< LOD	< LOD
alpha-Bisabolol	0.43 / 1.43	< LOQ	< LOQ

Total **4.39** **43.9**

Methods: SOP-063-GA; SOP-069-GA Instrument: GCMS

Pesticides
 PASS

Mycotoxins
 PASS

Heavy Metals
 PASS

Microbials
 PASS


Water Activity
 Not Required

Solvents
 PASS

Moisture Content
 Not Required

Foreign Matter
 PASS

Vitamin E Acetate
 PASS


 4/5/2026
 Daniel Kulakowski
 Lab Director, Green Analytics Maryland

* Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

** All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MCA Technical Authority for Medical Cannabis Testing, Revision 6.0 (EXT-732-MD)

**LOD = Limit of Detection

*dry-weight potency

**LOQ = Limit of Quantification

Pro Green Medical

Licensee Permit #: PA-23-00002

Item Name: Mellow Fellow - Disposable Vape - White Widow - 1g

Test Tag: 1A403030000283D000047060

Source Package: 1A403030000283D000047059

Sample Received: 04/01/2026

Lab ID: PGM047060

Manifest ID: 1963652

METRC Lab Test Batch:

Vape Cartridge

Analyte	LOD/LOQ	Action Limit	Date Tested	
			Value	Status
		ppm	ppm	
Arsenic	0.035 / 0.140	0.4	< LOD	PASS
Cadmium	0.046 / 0.158	0.4	< LOD	PASS
Chromium	0.070 / 0.240	0.6	< LOD	PASS
Mercury	0.014 / 0.056	0.2	< LOD	PASS
Lead	0.041 / 0.163	1.0	< LOD	PASS

Methods: SOP-061-GA; SOP-072-GA

Instrument: ICP-MS

Analyte	LOD/LOQ	Action Limit	Date Tested	
			Value	Status
		ppm	ppm	
Propane	45.80 / 158.30	5000	< LOD	PASS
n-Butane	33.20 / 114.50	5000	< LOD	PASS
Ethanol	14.40 / 49.90	5000	< LOQ	PASS
n-Hexane	8.60 / 29.70	290	< LOD	PASS
Benzene	0.30 / 1.10	2	< LOD	PASS
n-Heptane	82.70 / 285.70	5000	< LOD	PASS
Toluene	10.50 / 36.20	890	< LOD	PASS
Total Xylenes	8.50 / 29.50	2170	< LOD	PASS

Methods: SOP-010-GA; SOP-067-GA

Instrument: GC-MS

Analyte	LOD/LOQ	Action Limit	Date Tested	
			Value	Status
		LC-MS/MS	ppm	
Vitamin E Acetate	11.5 / 38.2	100	< LOD	PASS

Methods: SOP-706-MD; SOP-070-GA

Instrument: LC-MS/MS

Analyte	LOD/LOQ	Action Limit	Date Tested	
			Value	Status
		ppb	ppb	
Aflatoxin B1	4 / 10	20	< LOD	PASS
Aflatoxin B2	5 / 10	20	< LOD	PASS
Aflatoxin G1	5 / 10	20	< LOD	PASS
Aflatoxin G2	3 / 10	20	< LOD	PASS
Ochratoxin A	4 / 10	20	< LOD	PASS

Methods: SOP-062-GA; SOP-070-GA

Instrument: LC-MS/MS

Analyte	LOD/LOQ	Action Limit	Date Tested	
			Value	Status
		CFU/g	CFU/g	
Total Yeast and Mold Count	106 / 354	100000	< LOD	PASS
Total Aerobic Microbial Count	95 / 285	100000	< LOD	PASS
Total Coliforms		100	Not Required	
E.coli		1	Not Detected	PASS
STEC		Not Detected	Not Required	
Salmonella		Not Detected	Not Detected	PASS
L. monocytogenes		Not Detected	Not Required	

Methods: SOP-700-MD; SOP-709-MD; SOP-719-MD

Analyte	Action Limit	Value	Status
Water Activity	0.65	Not Required	

Methods: SOP-059-GA

Instrument: Water activity meter

Analyte	Value	Status
Moisture Content	Not Required	

Methods: SOP-055-GA

Instrument: Moisture analyzer

Analyte	Action Limit	Date Tested	Value	Status
Foreign Matter	1.0	4/1/2026	< 1%	PASS

Methods: SOP-057-MD





4/5/2026

Daniel Kulakowski
Lab Director, Green Analytics Maryland

* Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

** All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MCA Technical Authority for Medical Cannabis Testing, Revision 6.0 (EXT-732-MD)

**LOD = Limit of Detection

**dry-weight potency

**LOQ = Limit of Quantification

Pro Green Medical

Licensee Permit #: PA-23-00002

Item Name: Mellow Fellow - Disposable Vape - White Widow - 1g

Test Tag: 1A403030000283D000047060

Source Package: 1A403030000283D000047059

Sample Received: 04/01/2026

Lab ID: PGM047060

Manifest ID: 1963652

METRC Lab Test Batch:

Vape Cartridge

Pesticides

Analyte	LOD/LOQ	Action Limit	Date Tested		Status
			4/3/2026	Value	
Daminozide	0.029 / 0.100	1.000	< LOD	ppm	PASS
Ethephon	0.070 / 0.400	1.000	< LOD	ppm	PASS
Oxamyl	0.030 / 0.100	1.000	< LOD	ppm	PASS
Fonicamid	0.046 / 0.100	1.000	< LOD	ppm	PASS
Methomyl	0.036 / 0.100	0.400	< LOD	ppm	PASS
Thiamethoxam	0.033 / 0.100	0.200	< LOD	ppm	PASS
Imidacloprid	0.016 / 0.100	0.400	< LOD	ppm	PASS
Dimethoate	0.016 / 0.100	0.200	< LOD	ppm	PASS
Acetamiprid	0.026 / 0.100	0.200	< LOD	ppm	PASS
Thiacloprid	0.031 / 0.100	0.200	< LOD	ppm	PASS
Aldicarb	0.013 / 0.100	0.400	< LOD	ppm	PASS
Dichlorvos	0.017 / 0.080	0.100	< LOD	ppm	PASS
Carbofuran	0.058 / 0.100	0.200	< LOD	ppm	PASS
Ancymidol	0.016 / 0.100	0.200	< LOD	ppm	PASS
Carbaryl	0.019 / 0.100	0.200	< LOD	ppm	PASS
Clofentazine	0.026 / 0.100	0.200	< LOD	ppm	PASS
Imazalil	0.013 / 0.100	0.200	< LOD	ppm	PASS
Naled	0.024 / 0.100	0.500	< LOD	ppm	PASS
Metalaxyl	0.035 / 0.100	0.200	< LOD	ppm	PASS
Chloantraniliprole	0.029 / 0.100	0.200	< LOD	ppm	PASS
Phosmet	0.018 / 0.100	0.200	< LOD	ppm	PASS
Malathion	0.054 / 0.100	0.200	< LOD	ppm	PASS
Boscalid	0.045 / 0.100	0.400	< LOD	ppm	PASS
Paclobutrazol	0.044 / 0.100	0.400	< LOD	ppm	PASS
Methiocarb	0.060 / 0.100	0.200	< LOD	ppm	PASS
Myclobutanil	0.023 / 0.100	0.200	< LOD	ppm	PASS
Azoxystrobin	0.058 / 0.100	0.200	< LOD	ppm	PASS
Flurprimidol	0.018 / 0.100	0.200	< LOD	ppm	PASS
Bifenazate	0.043 / 0.100	0.200	< LOD	ppm	PASS

Pesticides (Continued)

Analyte	LOD/LOQ	Action Limit	Date Tested		Status
			4/3/2026	Value	
Spirotetramat	0.020 / 0.100	0.200	< LOD	ppm	PASS
Kresoxym-methyl	0.041 / 0.100	0.400	< LOD	ppm	PASS
Diazinon	0.022 / 0.100	0.200	< LOD	ppm	PASS
Propiconazole	0.020 / 0.100	0.400	< LOD	ppm	PASS
Spinosad A	0.019 / 0.080	0.200	< LOD	ppm	PASS
Trifloxystrobin	0.027 / 0.100	0.200	< LOD	ppm	PASS
Spinosad D	0.004 / 0.020	0.200	< LOD	ppm	PASS
Pyrethrin II	0.003 / 0.020	1.000	< LOD	ppm	PASS
Chlorpyrifos	0.032 / 0.100	0.200	< LOD	ppm	PASS
Spiromesifen	0.010 / 0.100	0.200	< LOD	ppm	PASS
Piperonyl Butoxide	0.052 / 0.100	1.000	< LOD	ppm	PASS
Etoxazole	0.049 / 0.100	1.000	< LOD	ppm	PASS
Hexythiazox	0.120 / 0.100	1.000	< LOD	ppm	PASS
Pyrethrin I	0.011 / 0.030	1.000	< LOD	ppm	PASS
Fenpyroximate	0.066 / 0.100	0.200	< LOD	ppm	PASS
Cyfluthrin	0.068 / 0.400	1.000	< LOD	ppm	PASS
Permethrin	0.030 / 0.100	0.500	< LOD	ppm	PASS
Abamectin B1a	0.070 / 0.100	0.500	< LOD	ppm	PASS
Bifenthrin	0.023 / 0.100	0.200	< LOD	ppm	PASS
Fludioxonil	0.024 / 0.100	0.400	< LOD	ppm	PASS
Fipronil	0.046 / 0.100	0.400	< LOD	ppm	PASS

Methods: SOP-062-GA; SOP-070-GA

Instrument: LC-MS/MS




4/5/2026

Daniel Kulakowski
Lab Director, Green Analytics Maryland

* Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

** All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MCA Technical Authority for Medical Cannabis Testing, Revision 6.0 (EXT-732-MD)

**LOD = Limit of Detection

*dry-weight potency

**LOQ = Limit of Quantification