

Pro Green Medical

Licensee Permit #: PA-23-00002

Item Name: Mellow Fellow - Infused Distillate 510 Vape - Durban Poison - 1g

Test Tag: 1A403030000283D000049035

Source Package: 1A403030000283D000049034

Sample Received: 04/30/2026

Lab ID: PGM049035

Manifest ID: 1975554

METRC Lab Test Batch: Vape Cartridge

Cannabinoids


Analyte	**LOD/LOQ mg/g	Date Tested	
		Value	Value
		% (w/w)	mg/g
CBD	2.65 / 8.44	< LOD	< LOD
CBDa	2.60 / 8.27	< LOD	< LOD
CBN	0.50 / 1.58	0.39	3.9
Δ9-THC	2.68 / 8.53	78.23	782.3
THCa	1.70 / 5.40	< LOD	< LOD
CBDV	1.65 / 5.24	< LOD	< LOD
CBG	1.69 / 5.38	1.84	18.4
CBGa	0.77 / 2.44	< LOD	< LOD
Δ8-THC	2.03 / 6.44	< LOD	< LOD
CBC	1.32 / 4.19	0.94	9.4
THCV	1.61 / 5.14	0.73	7.3
THCVa	1.14 / 3.61	< LOD	< LOD
Total THC <small>D8THC+D9THC+(THCa*0.877)</small>		78.23	
Total Cannabinoids		82.13	821.3

Methods: SOP-025-GA; SOP-073-GA

Instrument: HPLC-PDA

- CBD
- CBDa
- CBN
- Δ9-THC
- THCa
- CBDV
- CBG
- CBGa
- Δ8-THC
- CBC
- THCV
- THCVa

Cannabinoids



Terpenes

Analyte	LOD/LOQ mg/g	Date Tested	
		Value	Value
		% (w/w)	mg/g
alpha-Pinene	0.09 / 0.31	0.24	2.4
Camphene	0.18 / 0.60	< LOQ	< LOQ
Sabinene	0.18 / 0.60	< LOD	< LOD
beta-Pinene	0.10 / 0.36	0.19	1.9
beta-Myrcene	0.22 / 0.77	0.56	5.6
3-Carene		Not Tested	Not Tested
alpha-Terpinene	0.18 / 0.60	< LOQ	< LOQ
p-Cymene		Not Tested	Not Tested
d-Limonene	0.16 / 0.56	0.67	6.7
Eucalyptol	0.45 / 1.50	< LOD	< LOD
Ocimene	0.25 / 0.86	0.85	8.5
gamma-Terpinene	0.18 / 0.60	< LOQ	< LOQ
Sabinene hydrate	0.18 / 0.60	< LOD	< LOD
Terpinolene	0.12 / 0.42	0.84	8.4
Fenchone	0.18 / 0.60	< LOD	< LOD
Linalool	0.54 / 1.86	0.20	2.0
Fenchol	0.18 / 0.60	0.07	0.7
Isopulegol		Not Tested	Not Tested
Camphor	0.90 / 3.01	< LOD	< LOD
Isoborneol	0.18 / 0.60	< LOD	< LOD
Borneol	0.18 / 0.60	< LOD	< LOD
Menthol	0.45 / 1.50	< LOD	< LOD
Terpineol	0.45 / 1.50	< LOQ	< LOQ
Nerol	0.90 / 3.01	< LOD	< LOD
Pulegone	1.81 / 6.02	< LOD	< LOD
Geraniol	1.81 / 6.02	< LOD	< LOD
Geraniol acetate	1.81 / 6.02	< LOD	< LOD
alpha-Cedrene		Not Tested	Not Tested
beta-Caryophyllene	0.09 / 0.32	0.45	4.5
alpha-Humulene	0.19 / 0.65	0.14	1.4
Valencene	0.45 / 1.50	< LOD	< LOD
cis-Nerolidol	0.90 / 3.01	< LOD	< LOD
trans-Nerolidol	0.32 / 1.10	< LOD	< LOD
Caryophyllene oxide	0.79 / 2.72	< LOQ	< LOQ
Guaiol	0.18 / 0.60	< LOQ	< LOQ
Cedrol	0.18 / 0.60	< LOD	< LOD
beta-Eudesmol	0.59 / 2.05	< LOQ	< LOQ
alpha-Bisabolol	0.45 / 1.50	0.27	2.7
Total		4.48	44.8

Methods: SOP-063-GA; SOP-069-GA

Instrument: GCMS

Pesticides

PASS

Mycotoxins

PASS

Heavy Metals

PASS

Microbials

PASS

Water Activity

Not Required

Solvents

PASS

Moisture Content


Not Required

Foreign Matter

PASS

Vitamin E Acetate

PASS



 Daniel Kulakowski
 Lab Director, Green Analytics Maryland

5/4/2026

* Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

** All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MCA Technical Authority for Medical Cannabis Testing, Revision 6.0 (EXT-732-MD)

**LOD = Limit of Detection

*dry-weight potency

**LOQ = Limit of Quantification

Pro Green Medical

Licensee Permit #: PA-23-00002

Item Name: Mellow Fellow - Infused Distillate 510 Vape - Durban Poison - 1g

Test Tag: 1A40303000283D000049035

Source Package: 1A40303000283D000049034

Sample Received: 04/30/2026

Lab ID: PGM049035

Manifest ID: 1975554

METRC Lab Test Batch:

Vape Cartridge

Heavy Metals			Date Tested	5/1/2026
Analyte	LOD/LOQ	Action Limit	Value	Status
		ppm	ppm	
Arsenic	0.056 / 0.222	0.4	< LOD	PASS
Cadmium	0.073 / 0.251	0.4	< LOD	PASS
Chromium	0.111 / 0.382	0.6	< LOD	PASS
Mercury	0.022 / 0.088	0.2	< LOD	PASS
Lead	0.065 / 0.259	1.0	< LOD	PASS

Methods: SOP-061-GA; SOP-072-GA

Instrument: ICP-MS

Residual Solvents			Date Tested	5/2/2026
Analyte	LOD/LOQ	Action Limit	Value	Status
		ppm	ppm	
Propane	146.60 / 506.20	5000	< LOD	PASS
n-Butane	106.10 / 366.30	5000	< LOD	PASS
Ethanol	341.90 / 1128.40	5000	< LOD	PASS
n-Hexane	27.50 / 95.10	290	< LOD	PASS
Benzene	1.00 / 3.60	2	< LOD	PASS
n-Heptane	264.60 / 913.70	5000	< LOD	PASS
Toluene	33.50 / 115.70	890	< LOD	PASS
Total Xylenes	27.30 / 94.40	2170	< LOD	PASS

Methods: SOP-010-GA; SOP-067-GA

Instrument: GC-MS-MS

Vit E Acetate			Date Tested	5/2/2026
Analyte	LOD/LOQ	LC-MS/MS Action Limit	Value	Status
		ppm	ppm	
Vitamin E Acetate	11.5 / 38.2	100	< LOD	PASS

Methods: SOP-706-MD; SOP-070-GA

Instrument: LC-MS/MS

Mycotoxins			Date Tested	5/3/2026
Analyte	LOD/LOQ	Action Limit	Value	Status
		ppb	ppb	
Aflatoxin B1	4 / 10	20	< LOD	PASS
Aflatoxin B2	5 / 10	20	< LOD	PASS
Aflatoxin G1	5 / 10	20	< LOD	PASS
Aflatoxin G2	3 / 10	20	< LOD	PASS
Ochratoxin A	4 / 10	20	< LOD	PASS

Methods: SOP-062-GA; SOP-070-GA

Instrument: LC-MS/MS

Microbials			Date Tested	5/3/2026
Analyte	LOD/LOQ	Action Limit	Value	Status
		CFU/g	CFU/g	
Total Yeast and Mold Count	106 / 354	100000	< LOD	PASS
Total Aerobic Microbial Count	95 / 285	100000	< LOD	PASS
Total Coliforms		100	Not Required	
E.coli		1	Not Detected	PASS
STEC		Not Detected	Not Required	
Salmonella		Not Detected	Not Detected	PASS
L. monocytogenes		Not Detected	Not Required	

Methods: SOP-700-MD; SOP-709-MD; SOP-719-MD

Water Activity			Date Tested	5/3/2026
Analyte	Action Limit	Value	Status	
	Aw	Aw		
Water Activity	0.65	Not Required		

Methods: SOP-059-GA

Instrument: Water activity meter

Moisture Content			Date Tested	5/3/2026
Analyte	Action Limit	Value	Status	
	%	%		
Moisture Content	Not Required			

Methods: SOP-055-GA

Instrument: Moisture analyzer

Foreign Matter			Date Tested	4/30/2026
Analyte	Action Limit	Value	Status	
	%	%		
Foreign Matter	1.0	< 1%	PASS	

Methods: SOP-057-MD




5/4/2026

Daniel Kulakowski
Lab Director, Green Analytics Maryland

* Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

** All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MCA Technical Authority for Medical Cannabis Testing, Revision 6.0 (EXT-732-MD)

**LOD = Limit of Detection

*dry-weight potency

**LOQ = Limit of Quantification

Pro Green Medical

Licensee Permit #: PA-23-00002

Test Tag: 1A403030000283D000049035

Source Package: 1A403030000283D000049034

Item Name: Mellow Fellow - Infused Distillate 510 Vape - Durban Poison - 1g

Sample Received: 04/30/2026

Lab ID: PGM049035

Manifest ID: 1975554

METRC Lab Test Batch:

Vape Cartridge

Pesticides

Analyte	LOD/LOQ	Action Limit	Date Tested	
			Value	Status
		ppm	ppm	
Daminozide	0.029 / 0.100	1.000	< LOD	PASS
Ethephon	0.070 / 0.400	1.000	< LOD	PASS
Oxamyl	0.030 / 0.100	1.000	< LOD	PASS
Flonicamid	0.046 / 0.100	1.000	< LOD	PASS
Methomyl	0.036 / 0.100	0.400	< LOD	PASS
Thiamethoxam	0.033 / 0.100	0.200	< LOD	PASS
Imidacloprid	0.016 / 0.100	0.400	< LOD	PASS
Dimethoate	0.016 / 0.100	0.200	< LOD	PASS
Acetamiprid	0.026 / 0.100	0.200	< LOD	PASS
Thiacloprid	0.031 / 0.100	0.200	< LOD	PASS
Aldicarb	0.013 / 0.100	0.400	< LOD	PASS
Dichlorvos	0.017 / 0.080	0.100	< LOD	PASS
Carbofuran	0.058 / 0.100	0.200	< LOD	PASS
Ancymidol	0.016 / 0.100	0.200	< LOD	PASS
Carbaryl	0.019 / 0.100	0.200	< LOD	PASS
Clofentazine	0.026 / 0.100	0.200	< LOD	PASS
Imazalil	0.013 / 0.100	0.200	< LOD	PASS
Naled	0.024 / 0.100	0.500	< LOD	PASS
Metalaxyl	0.035 / 0.100	0.200	< LOD	PASS
Chloanthraniliprole	0.029 / 0.100	0.200	< LOD	PASS
Phosmet	0.018 / 0.100	0.200	< LOD	PASS
Malathion	0.054 / 0.100	0.200	< LOD	PASS
Boscalid	0.045 / 0.100	0.400	< LOD	PASS
Paclbutrazol	0.044 / 0.100	0.400	< LOD	PASS
Methiocarb	0.060 / 0.100	0.200	< LOD	PASS
Myclobutanil	0.023 / 0.100	0.200	< LOD	PASS
Azoxystrobin	0.058 / 0.100	0.200	< LOD	PASS
Flurprimidol	0.018 / 0.100	0.200	< LOD	PASS
Bifenazate	0.043 / 0.100	0.200	< LOD	PASS

Pesticides (Continued)

Analyte	LOD/LOQ	Action Limit	Date Tested	
			Value	Status
		ppm	ppm	
Spirotetramat	0.020 / 0.100	0.200	< LOD	PASS
Kresoxym-methyl	0.041 / 0.100	0.400	< LOD	PASS
Diazinon	0.022 / 0.100	0.200	< LOD	PASS
Propiconazole	0.020 / 0.100	0.400	< LOD	PASS
Spinosad A	0.019 / 0.080	0.200	< LOD	PASS
Trifloxystrobin	0.027 / 0.100	0.200	< LOD	PASS
Spinosad D	0.004 / 0.020	0.200	< LOD	PASS
Pyrethrin II	0.003 / 0.020	1.000	< LOD	PASS
Chlorpyrifos	0.032 / 0.100	0.200	< LOD	PASS
Spiromesifen	0.010 / 0.100	0.200	< LOD	PASS
Piperonyl Butoxide	0.052 / 0.100	1.000	< LOD	PASS
Etoxazole	0.049 / 0.100	1.000	< LOD	PASS
Hexythiazox	0.120 / 0.100	1.000	< LOD	PASS
Pyrethrin I	0.011 / 0.030	1.000	< LOD	PASS
Fenpyroximate	0.066 / 0.100	0.200	< LOD	PASS
Cyfluthrin	0.068 / 0.400	1.000	< LOD	PASS
Permethrin	0.030 / 0.100	0.500	< LOD	PASS
Abamectin B1a	0.070 / 0.100	0.500	< LOD	PASS
Bifenthrin	0.023 / 0.100	0.200	< LOD	PASS
Fludioxonil	0.024 / 0.100	0.400	< LOD	PASS
Fipronil	0.046 / 0.100	0.400	< LOD	PASS

Methods: SOP-062-GA; SOP-070-GA

Instrument: LC-MS/MS




5/4/2026

Daniel Kulakowski
Lab Director, Green Analytics Maryland

* Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

** All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MCA Technical Authority for Medical Cannabis Testing, Revision 6.0 (EXT-732-MD)

**LOD = Limit of Detection

*dry-weight potency

**LOQ = Limit of Quantification